

## QuantiGene® 2.0 Bibliography

### 2013

1. Zhang M., et al. [Alteration of circulating mitochondrial DNA concentration after irradiation.](#) *Adv Exp Med Biol* **765**:371-7 (2013).

### 2012

1. Burgess A., et al. [Focused ultrasound for targeted delivery of siRNA and efficient knockdown of Htt expression.](#) *J Control Release* (2012).
2. Cheng X. & Klasseen C. D. [Hormonal and chemical regulation of paraoxonases in mice.](#) *J Pharmacol Exp Ther* **342**(3):688-95 (2012).
3. Cui J. Y., et al. [Bile acids via FXR initiate the expression of major transporters involved in the enterohepatic circulation of bile acids in newborn mice.](#) *Am J Physiol Gastrointest Liver Physiol* (2012).
4. Desai A., et al. [META060 attenuates TNF-alpha-activated inflammation, endothelial-monocyte interactions, and matrix metalloproteinase-9 expression, and inhibits NF-kappaB and AP-1 in THP-1 monocytes.](#) *Atherosclerosis* **223**(1):130-6 (2012).
5. Dunmore R., et al. [An assessment of epithelial and mesenchymal phenotypes in experimental and clinical pulmonary fibrosis.](#) *ISRN Pulmonology* **Volume 2012** (2012).
6. Foster D. J., et al. [Comprehensive evaluation of canonical versus Dicer-substrate siRNA in vitro and in vivo.](#) *Rna* **18**(3):557-68 (2012).
7. Hummon A. B., et al. [Systems-wide RNAi analysis of CASP8AP2/FLASH shows transcriptional deregulation of the replication-dependent histone genes and extensive effects on the transcriptome of colorectal cancer cells.](#) *Molecular Cancer* **11**(1) (2012).
8. Jiao X., et al. [Discovery and optimization of a series of liver X receptor antagonists.](#) *Bioorg Med Chem Lett* **22**(18):5966-70 (2012).
9. Koth C. M., et al. [Molecular basis for negative regulation of the glucagon receptor.](#) *Proc Natl Acad Sci USA* **109**(36):14393-8 (2012).
10. Linton K., et al. [Microarray gene expression analysis of fixed archival tissue permits molecular classification and identification of potential therapeutic targets in diffuse large B-cell lymphoma.](#) *J Mol Diagn* **14**(3):223-32 (2012).
11. Meng X. L., et al. [Low expression of stathmin in tumor predicts high response to neoadjuvant chemotherapy with docetaxel-containing regimens in locally advanced breast cancer.](#) *Genet Test Mol Biomarkers* (2012).
12. Metzgera D. C., et al. [Normalizing for biology: Accounting for technical and biological variation in levels of reference gene and insulin-like growth factor 1 \(igf1\) transcripts in fish livers.](#) *Comp Biochem and Physiol* (2012).
13. Mounier A., et al. [Genetic complexity in the BIN1 locus.](#) *Journal of the Alzheimers Association* **8**(1, Supp.):P663-4 (2012).

## QuantiGene® 2.0 Bibliography

14. Muller P., Pugazhendhi D., Ziedler M. P. [Modulation of human JAK-STAT pathway signaling by functionally conserved regulators.](#) *JAK-STAT* **1**(1): 1-11 (2012).
15. Patani R., et al. [Investigating the utility of human embryonic stem cell-derived neurons to model ageing and neurodegenerative disease using whole-genome gene expression and splicing analysis.](#) *J Neurochem* **122**(4):738-51 (2012).
16. Pettersen J. C., et al. [The PPAR \$\alpha\$  agonists fenofibrate and CP-778875 cause increased  \$\dot{I}^2\$ -oxidation, leading to oxidative injury in skeletal and cardiac muscle in the rat.](#) *Toxicol Pathol* (2012).
17. Qi J., et al. [The use of stable isotope-labeled glycerol and oleic acid to differentiate the hepatic functions of diacylglycerol acyltransferase-1 and -2.](#) *J Lipid Res* (2012).
18. Querbes W., et al. [Treatment of erythropoietin deficiency in mice with systemically administered siRNA.](#) *Blood* **120**(9):1916-22 (2012).
19. Ruangsiriluk W., et al. [Silencing of enzymes involved in ceramide biosynthesis causes distinct global alterations of lipid homeostasis and gene expression.](#) *J Lipid Res* (2012).
20. Shahnazari M., et al. [Bone turnover markers in peripheral blood and marrow plasma reflect trabecular bone loss but not endocortical expansion in aging mice.](#) *Bone* **50**(3):628-37 (2012).
21. Schwartz J. R., et al. [A facile, branched DNA assay to quantitatively measure glucocorticoid receptor auto-regulation in T-cell acute lymphoblastic leukemia.](#) *Chin J Cancer* **31**(8):381-91 (2012).
22. Trabzuni D., et al. [MAPT expression and splicing is differentially regulated by brain region: relation to genotype and implication for tauopathies.](#) *Hum Mol Genet* **21**(18):4094-103 (2012).
23. Zhang L., et al. [Radiation-induced elevation of plasma DNA in mice is associated with genomic background.](#) *Adv Exp Med Biol* **737**:147-53 (2012).
24. Zhang Y., et al. [Dysfunction of organic anion transporting polypeptide 1a1 alters intestinal bacteria and bile Acid metabolism in mice.](#) *PLoS ONE* **7**(3):e34522 (2012).
25. Zhang Y., et al. [Transcription factor-mediated regulation of carboxylesterase enzymes in livers of mice.](#) *Drug Metab Dispos* (2012).

### 2011

1. Babij C., et al. [STK33 kinase activity is nonessential in KRAS-dependent cancer cells.](#) *Cancer Res* (2011).
2. Baughman J. M., et al. [Integrative genomics identifies MCU as an essential component of the mitochondrial calcium uniporter.](#) *Nature* (2011).
3. Beare P. A., et al. [Dot/Icm Type IVB secretion system requirements for \*Coxiella burnetii\* growth in human macrophages.](#) *MBio* **2**(4) (2011).

## QuantiGene<sup>®</sup> 2.0 Bibliography

4. Bergemann T. L., Wilson J. [Proportion statistics to detect differentially expressed genes: a comparison with log-ratio statistics.](#) *BMC Bioinformatics* **12**(1):228 (2011).
5. Brown M. L., et al. [Discovery of amide replacements that improve activity and metabolic stability of a bis-amide smoothed antagonist hit.](#) *Bioorg Med Chem Lett* **21**(18):5206-9 (2011).
6. Cao G., et al. [Evacetrapib is a novel, potent and selective inhibitor of cholesteryl ester transfer protein that elevates high-density lipoprotein cholesterol without inducing aldosterone or increasing blood pressure.](#) *Journal of Lipid Research* (2011).
7. Cao Y. C., et al. [Quantum dots high fluorescent signal amplification immunoassay using branched DNA and peptide nucleic acid conjugated antibody.](#) *Analyst* (2011).
8. Chae B. J., et al. [Measurement of ER and PR status in breast cancer using the QuantiGene2.0 assay.](#) *Pathology* **43**(3):248-53 (2011).
9. Crombez L., et al. [A non-covalent peptide-based strategy for ex vivo and in vivo oligonucleotide delivery.](#) *Methods Mol Biol* **764**:59-73 (2011).
10. Hinfray N. et al. [Characterization of testicular expression of P450 17alpha-hydroxylase, 17,20-lyase in zebrafish and its perturbation by the pharmaceutical fungicide clotrimazole.](#) *Gen Comp Endocrinol* (2011).
11. Kadota K., et al. [Evaluating methods for ranking differentially expressed genes applied to MicroArray Quality Control data.](#) *BMC Bioinformatics* **12**(1):227 (2011).
12. Lapierre J., et al. [Potent and systematic RNAi mediated silencing with single oligonucleotide compounds.](#) *Rna* **17**(6):1032-7 (2011).
13. Li M., et al. [Mutant hypoxia inducible factor-1alpha improves angiogenesis and tissue perfusion in ischemic rabbit skeletal muscle.](#) *Microvasc Res* **81**(1):26-33 (2011).
14. Liao L. H., et al. [Single-nucleotide polymorphisms and haplotype of CYP2E1 gene associated with systemic lupus erythematosus in Chinese population.](#) *Arthritis Res Ther* **13**(1):R11 (2011).
15. Lin Y. Z., et al. [The pathogenic and vaccine strains of equine infectious anemia virus differentially induce cytokine and chemokine expression and apoptosis in macrophages.](#) *Virus Res* (2011).
16. Lu B., et al. [The role of the transcription factor SIM2 in prostate cancer.](#) *PLoS ONE* **6**(12):e28837 (2011).
17. Lu H., et al. [Nrf2 protects against 2,3,7,8-tetrachlorodibenzo-p-dioxin \(TCDD\)-induced oxidative injury and steatohepatitis.](#) *Toxicol Appl Pharmacol* (2011).
18. Martin S. E., et al. [RNAi screening identifies TAK1 as a potential target for the enhanced efficacy of topoisomerase inhibitors.](#) *Curr Cancer Drug Targets*(2011).
19. Mital J., et al. [A role for the Src-family kinase Fyn in sphingolipid acquisition by chlamydiae.](#) *Infect Immun* (2011).

## QuantiGene® 2.0 Bibliography

20. Murray L. A., et al. [TGF-beta driven lung fibrosis is macrophage dependent and blocked by Serum amyloid P.](#) *Int J Biochem Cell Biol* **43**(1):154-62 (2011).
21. Polach K. J., et al. [Delivery of siRNA to the Mouse Lung via a Functionalized Lipopolyamine.](#) *Mol Ther* (2011).
22. Selvaduray K. R., et al. [Palm tocotrienols decrease levels of pro-angiogenic markers in human umbilical vein endothelial cells \(HUVEC\) and murine mammary cancer cells.](#) *Genes Nutr* (2011).
23. Torres J. Z., et al. [The STARD9/Kif16a kinesin associates with mitotic microtubules and regulates spindle pole assembly.](#) *Cell* **147**(6):1309-23 (2011).
24. Trabzuni D., et al. [Quality control parameters on a large dataset of regionally-dissected human control brains for whole genome expression studies.](#) *J Neurochem* (2011).
25. Voth D. E., et al. [The Coxiella burnetii cryptic plasmid is enriched in genes encoding type IV secretion system substrates.](#) *J Bacteriol* **193**(7):1493-503 (2011).
26. Zheng W., Chung L. M., Zhao H. [Bias detection and correction in RNA-Sequencing data.](#) *BMC Bioinformatics* **12**(1):290 (2011).

### 2010

1. Abbott C., et al. [Mouse monoclonal antibodies against human c-Mpl and characterization for flow cytometry applications.](#) *Hybridoma (Larchmt)* **29**(2):103-13 (2009).
2. Addepalli H., et al. [Modulation of thermal stability can enhance the potency of siRNA.](#) *Nucleic Acids Res* (2010).
3. Akashi M., et al. [Noninvasive method for assessing the human circadian clock using hair follicle cells.](#) *Proc Natl Acad Sci USA* **107**(35):15643-8 (2010).
4. Aleksunes L. M., et al. [Nuclear factor erythroid 2-related factor 2 deletion impairs glucose tolerance and exacerbates hyperglycemia in type 1 diabetic mice.](#) *J Pharmacol Exp Ther* **333**(1):140-51 (2010).
5. Alnouti Y., et al. [Mechanisms of gender-specific regulation of mouse sulfotransferases \(Sults\).](#) *Xenobiotica* (2010).
6. Berahovich R. D., et al. [CXCR7 protein is not expressed on human or mouse leukocytes.](#) *J Immunol* (2010).
7. Chen Q., et al. [Lipophilic siRNAs mediate efficient gene silencing in oligodendrocytes with direct CNS delivery.](#) *J Control Release* (2010).
8. Chen Z., et al. [Validation of the biotic ligand model in metal mixtures: bioaccumulation of lead and copper.](#) *Environ Sci Technol* **44**(9):3580-6 (2010).

## QuantiGene<sup>®</sup> 2.0 Bibliography

9. Cheneval D., et al. [A review of methods to monitor the modulation of mRNA stability: a novel approach to drug discovery and therapeutic intervention.](#) *J Biomol Screen* **15**(6):609-22 (2010).
10. Cui J. Y., et al. [Genetic and epigenetic regulation and expression signatures of glutathione S-transferases in developing mouse liver.](#) *Toxicol Sci* (2010).
11. Cui J. Y., et al. [ChIPing the cistrome of PXR in mouse liver.](#) *Nucleic Acids Res* (2010).
12. Debruin C., et al. [Most purported antibodies to the human granulocyte colony-stimulating factor receptor are not specific.](#) *Exp Hematol* (2010).
13. Ehsani A., et al. [Rational design of micro-RNA-like bifunctional siRNAs targeting HIV and the HIV coreceptor CCR5.](#) *Mol Ther* **18**(4):796-802 (2010).
14. Erickson H. S., et al. [High throughput screening of normal and neoplastic tissue samples.](#) *Comb Chem High Throughput Screen* **13**(3):253-67 (2010).
15. Furusato B., et al. [ERG oncoprotein expression in prostate cancer: clonal progression of ERG-positive tumor cells and potential for ERG-based stratification.](#) *Prostate Cancer Prostatic Dis* **13**(3):228-37 (2010).
16. Genter M. B., et al. [Drug transporter expression and localization in rat nasal respiratory and olfactory mucosa and olfactory bulb.](#) *Drug Metab Dispos* **38**(10):1644-7 (2010).
17. Haobin W., et al. [Detection and clinical significance of CEA, GCC and CD44v6 mRNA in peritoneal lavages of colorectal cancer patients: report of 60 cases.](#) *Acta Academiae Medicinae Militaris Tertiae* **32**(1):36-40 (2010).
18. Hardwick R. N., et al. [Diversity in antioxidant response enzymes in progressive stages of human nonalcoholic fatty liver disease.](#) *Drug Metab Dispos* (2010).
19. Ibarra J. A., et al. [Induction of Salmonella pathogenicity island 1 under different growth conditions can affect Salmonella-host cell interactions in vitro.](#) *Microbiology* **156**(Pt 4):1120-33 (2010).
20. Jeong I., et al. [Role of ataxia telangiectasia mutated in insulin signalling of muscle-derived cell lines and mouse soleus.](#) *Acta Physiol (Oxf)* **198**(4):465-75 (2010).
21. Kaizerman J. A., et al. [Addressing PXR liabilities of phthalazine-based hedgehog/smoothened antagonists using novel pyridopyridazines.](#) *Bioorg Med Chem Lett* **20**(15):4607-10 (2010).
22. Lachaud A. A., et al. [Werner's syndrome helicase participates in transcription of phenobarbital-inducible CYP2B genes in rat and mouse liver.](#) *Biochem Pharmacol* **79**(3):463-70 (2010).
23. Love K. T., et al. [Lipid-like materials for low-dose, in vivo gene silencing.](#) *Proc Natl Acad Sci USA* (2010).
24. Lucas B. S., et al. [Design of 1-piperazinyl-4-arylphthalazines as potent Smoothened antagonists.](#) *Bioorg Med Chem Lett* **20**(12):3618-22 (2010).

## QuantiGene<sup>®</sup> 2.0 Bibliography

25. Monovich L., et al. [A novel kinase inhibitor establishes a predominant role for protein kinase D as a cardiac class IIa histone deacetylase kinase.](#) *FEBS Lett* **584**(3): 631-7 (2010).
26. Murray L. A., et al. [Serum amyloid P therapeutically attenuates murine bleomycin-induced pulmonary fibrosis via its effects on macrophages.](#) *PLoS One* **5**(3):e9683 (2010).
27. Musunuru K., et al. [From noncoding variant to phenotype via SORT1 at the 1p13 cholesterol locus.](#) *Nature* **466**(7307):714-9 (2010).
28. Radaelli A., et al. [Fowlpox virus recombinants expressing HPV-16 E6 and E7 oncogenes for the therapy of cervical carcinoma elicit humoral and cell-mediated responses in rabbits.](#) *J Transl Med* **8**:40 (2010).
29. Robertson B., et al. [Specificity and functionality of microRNA inhibitors.](#) *Silence* **1**(1):10 (2010).
30. Salomon W., et al. [Modified dsRNAs that are not processed by Dicer maintain potency and are incorporated into the RISC.](#) *Nucleic Acids Res* (2010).
31. Sasu B. J., et al. [Antihepcidin antibody treatment modulates iron metabolism and is effective in a mouse model of inflammation-induced anemia.](#) *Blood* **115**(17):3616-24 (2010).
32. Semple S. C., et al. [Rational design of cationic lipids for siRNA delivery.](#) *Nat Biotechnol* (2010).
33. Srivastava S., et al. [A two-parameter generalized Poisson model to improve the analysis of RNA-seq data.](#) *Nucleic Acids Res* **38**(17):e170 (2010).
34. Stevens A., et al. [Epigenetic changes in the hypothalamic proopiomelanocortin and glucocorticoid receptor genes in the ovine fetus after periconceptual undernutrition.](#) *Endocrinology* **151**(8):3652-64 (2010).
35. Swift S., et al. [Absence of functional EpoR expression in human tumor cell lines.](#) *Blood* **115**(21):4254-63 (2010).
36. Talbot D. C., et al. [Tumor survivin is downregulated by the antisense oligonucleotide LY2181308: a proof-of-concept, first-in-human dose study.](#) *Clin Cancer Res* **16**(24):6150-8 (2010).
37. Wang L., et al. [In vitro assessment of metabolic drug-drug interaction potential of apixaban through cytochrome P450 phenotyping, inhibition, and induction studies.](#) *Drug Metab Dispos* **38**(3):448-58 (2010).
38. Yim H. W., et al. [Branched-chain Assay for ER, PR, and HER2 RNA Levels is a Useful Adjunct in the Evaluation of ER, PR, and HER2 in Breast Cancer.](#) *J Breast Cancer* **13**(3):267-74 (2010).
39. Yue X., et al. [Transcriptional regulation by small RNAs at sequences downstream from 3' gene termini.](#) *Nat Chem Biol* **6**(8):621-9 (2010).
40. Zhang L., et al. [A new biosimetric method: branched DNA-based quantitative detection of B1 DNA in mouse plasma.](#) *Br J Radiol* **83**(992):694-701 (2010).

## QuantiGene<sup>®</sup> 2.0 Bibliography

41. Zhang Y. K., *et al.* [Enhanced expression of Nrf2 in mice attenuates the fatty liver produced by a methionine- and choline-deficient diet.](#) *Toxicol Appl Pharmacol* **245**(3):326-34 (2010).
42. Zumbansen M., *et al.* [First siRNA library screening in hard-to-transfect HUVEC cells.](#) *J RNAi Gene Silencing* **6**(1):354-60 (2010).

### 2009

1. Beetz N., *et al.* [Phosducin influences sympathetic activity and prevents stress-induced hypertension in humans and mice.](#) *J Clin Invest* **119**(12):3597-612 (2009).
2. Berrodin T. J., *et al.* [Novel progesterone receptor modulators with gene selective and context-dependent partial agonism.](#) *Biochem Pharmacol* **77**(2):204-15 (2009).
3. Buckley D. B., Klaassen C. D. [Induction of mouse UDP-glucuronosyltransferase mRNA expression in liver and intestine by activators of aryl-hydrocarbon receptor, constitutive androstane receptor, pregnane X receptor, peroxisome proliferator-activated receptor alpha, and nuclear factor erythroid 2-related factor 2.](#) *Drug Metab Dispos* **37**(4):847-56 (2009).
4. Buckley D. B., Klaassen C. D. [Mechanism of gender-divergent UDP-glucuronosyltransferase mRNA expression in mouse liver and kidney.](#) *Drug Metab Dispos* **37**(4):834-40 (2009).
5. Champion S. N., *et al.* [Effect of allyl alcohol on hepatic transporter expression: Zonal patterns of expression and role of Kupffer cell function.](#) *Toxicology and Applied Pharmacology* **236**:49–58 (2009).
6. Chapuis J., *et al.* [Transcriptomic and genetic studies identify IL-33 as a candidate gene for Alzheimer's disease.](#) *Mol Psychiatry* **14**(11):1004-16 (2009).
7. Cheng X., Klaassen C. D. [Tissue distribution, ontogeny, and hormonal regulation of xenobiotic transporters in mouse kidneys.](#) *Drug Metab Dispos* **37**(11):2178-85 (2009).
8. Cui Y. J., *et al.* [Tissue distribution, gender-divergent expression, ontogeny, and chemical induction of multidrug resistance transporter genes \(Mdr1a, Mdr1b, Mdr2\) in mice.](#) *Drug Metab Dispos* **37**(1):203-10 (2009).
9. Cui Y. J., *et al.* [Ontogenic expression of hepatic Ahr mRNA is associated with histone H3K4 di-methylation during mouse liver development.](#) *Toxicol Lett* **189**(3):184-90 (2009).
10. Ellison D. W., *et al.* [Limited transcriptional responses of Rickettsia rickettsii exposed to environmental stimuli.](#) *PLoS One* **4**(5):e5612 (2009).
11. Fortin M., *et al.* [A multi-target antisense approach against PDE4 and PDE7 reduces smoke-induced lung inflammation in mice.](#) *Respir Res* **10**:39 (2009).
12. Grunt T. W., *et al.* [Interaction between fatty acid synthase- and ErbB-systems in ovarian cancer cells.](#) *Biochem Biophys Res Commun* **385**(3):454-9 (2009).

## QuantiGene<sup>®</sup> 2.0 Bibliography

13. Haag J., et al. [Efficient non-viral transfection of primary human adult chondrocytes in a high-throughput format.](#) *Osteoarthritis Cartilage* **17**(6):813-7 (2009).
14. Kanashiro-Takeuchi R. M., et al. [Sex-Specific Impact of Aldosterone Receptor Antagonism on Ventricular Remodeling and Gene Expression after Myocardial Infarction.](#) *Clin Transl Sci* **2**(2):134-42 (2009).
15. Kwara A., et al. [Interindividual Variability in Pharmacokinetics of Generic Nucleoside Reverse Transcriptase Inhibitors in TB/HIV-Coinfected Ghanaian Patients: UGT2B7\\*1c Is Associated With Faster Zidovudine Clearance and Glucuronidation.](#) *J Clin Pharmacol* **49**(9):1079-90 (2009).
16. Lu B., et al. [Detection of TMPRSS2-ERG fusion gene expression in prostate cancer specimens by a novel assay using branched DNA.](#) *Urology* **74**(5):1156-61 (2009).
17. Mahmoudi S., et al. [Wrap53, a natural p53 antisense transcript required for p53 induction upon DNA damage.](#) *Mol Cell* **33**(4):462-71 (2009).
18. Mane S. P., et al. [Transcriptome sequencing of the Microarray Quality Control \(MAQC\) RNA reference samples using next generation sequencing.](#) *BMC Genomics* **10**(1):264 (2009).
19. Passioura T., et al. [Interfering ribonucleic acids that suppress expression of multiple unrelated genes.](#) *BMC Biotechnol* **9**(1):57 (2009).
20. Shinonaga H., et al. [Pochonins K–P: new radicicol analogues from Pochonia chlamydosporia var. chlamydosporia and their WNT-5A expression inhibitory activities.](#) *Tetrahedron* **65**:3446–53 (2009).
21. Shinonaga H., et al. [Synthesis and structure-activity relationships of radicicol derivatives and WNT-5A expression inhibitory activity.](#) *Bioorg Med Chem* **17**(13):4622-35 (2009).
22. Shinonaga H., et al. [The search for a hair-growth stimulant: new radicicol analogues as WNT-5A expression inhibitors from Pochonia chlamydosporia var. chlamydosporia.](#) *Tetrahedron Letters* **50**:108-10 (2009).
23. Surguladze D., et al. [Tumor necrosis factor-alpha and interleukin-1 antagonists alleviate inflammatory skin changes associated with epidermal growth factor receptor antibody therapy in mice.](#) *Cancer Res* **69**(14):5643-7 (2009).
24. Tanaka Y., et al. [ANIT-induced intrahepatic cholestasis alters hepatobiliary transporter expression via Nrf2-dependent and independent signaling.](#) *Toxicol Sci* **108**(2):247-57 (2009).
25. Vickers A. E., [Characterization of hepatic mitochondrial injury induced by fatty acid oxidation inhibitors.](#) *Toxicol Pathol* **37**(1):78-88 (2009).
26. Zhu J., et al. [Regulation of apolipoprotein AI \(apoAI\) processing by Procollagen C-proteinase enhancer \(PCPE2\) and bone morphogenetic protein-1 \(BMP-1\).](#) *J Lipid Res* (2009).



## QuantiGene<sup>®</sup> 2.0 Bibliography

### 2008

1. Aagaard L. A., *et al.* [Engineering and optimization of the miR-106b cluster for ectopic expression of multiplexed anti-HIV RNAs.](#) *Gene Ther* **15**(23):1536-49 (2008).
2. Akinc A., *et al.* [A combinatorial library of lipid-like materials for delivery of RNAi therapeutics.](#) *Nat Biotechnol* **26**(5):561-9 (2008).
3. Aleksunes L. M., *et al.* [Induction of Mrp3 and Mrp4 transporters during acetaminophen hepatotoxicity is dependent on Nrf2.](#) *Toxicol Appl Pharmacol* **226**(1): 74-83 (2008).
4. Aleksunes L. M., *et al.* [Renal xenobiotic transporters are differentially expressed in mice following cisplatin treatment.](#) *Toxicology* **250**(2-3): 82-8 (2008).
5. Aleksunes L. M., Cui Y., Klaassen C. D. [Prominent expression of xenobiotic efflux transporters in mouse extraembryonic fetal membranes compared with placenta.](#) *Drug Metab Dispos* (2008).
6. Aleku M., *et al.* [Atu027, a liposomal small interfering RNA formulation targeting protein kinase N3, inhibits cancer progression.](#) *Cancer Res* **68**(23):9788-98 (2008).
7. Alnouti Y., Klaassen C. D. [Regulation of sulfotransferase enzymes by prototypical microsomal enzyme inducers in mice.](#) *J Pharmacol Exp Ther* **324**(2):612-21 (2008).
8. Alnouti Y., Klaassen C. D. [Tissue distribution, ontogeny, and regulation of aldehyde dehydrogenase \(aldh\) enzymes mRNA by prototypical microsomal enzyme inducers in mice.](#) *Toxicol Sci* **101**(1):51-64 (2008).
9. Anderson E., *et al.* [Identifying siRNA-induced off-targets by microarray analysis.](#) *Methods Mol Biol* **442**: 45-63 (2008).
10. Anderson E. M., *et al.* [Experimental validation of the importance of seed complement frequency to siRNA specificity.](#) *Rna* **14**(5):853-61 (2008).
11. Arikawa E., *et al.* [Cross-platform comparison of SYBR Green real-time PCR with TaqMan PCR, microarrays and other gene expression measurement technologies evaluated in the MicroArray Quality Control \(MAQC\) study.](#) *BMC Genomics* **9**:328 (2008).
12. Beilke L. D., *et al.* [Minimal role of hepatic transporters in the hepatoprotection against LCA-induced intrahepatic cholestasis.](#) *Toxicol Sci* **102**(1):196-204 (2008).
13. Calcagno A. M., *et al.* [Single-step doxorubicin-selected cancer cells overexpress the ABCG2 drug transporter through epigenetic changes.](#) *Br J Cancer* **98**(9):1515-24 (2008).
14. Chae Y. K., *et al.* [Human AQP5 plays a role in the progression of chronic myelogenous leukemia \(CML\).](#) *PLoS ONE* **3**(7):e2594 (2008).
15. Cheng Q., *et al.* [Drug-metabolizing enzyme and transporter expression in a mouse model of diabetes and obesity.](#) *Mol Pharm* **5**(1):77-91 (2008).

## QuantiGene<sup>®</sup> 2.0 Bibliography

16. Cheng X., Klaassen C. D. [Perfluorocarboxylic acids induce cytochrome P450 enzymes in mouse liver through activation of PPAR-alpha and CAR transcription factors.](#) *Toxicol Sci* **106**(1):29-36 (2008).
17. Cheng X. Klaassen C. D. [Critical role of PPAR-alpha in perfluorooctanoic acid- and perfluorodecanoic acid-induced downregulation of Oatp uptake transporters in mouse livers.](#) *Toxicol Sci* **106**(1):37-45 (2008).
18. Chung J. Y., et al. [Factors in tissue handling and processing that impact RNA obtained from formalin-fixed, paraffin-embedded tissue.](#) *J Histochem Cytochem* **56**(11):1033-42 (2008).
19. Crombez L., et al. [A New Potent Secondary Amphipathic Cell-penetrating Peptide for siRNA Delivery Into Mammalian Cells.](#) *Mol Ther* (2008).
20. Eastham L. L., Mills C. N., Niles R. M. [PPARAlpha/gamma Expression and Activity in Mouse and Human Melanocytes and Melanoma Cells.](#) *Pharm Res* (2008).
21. Fisher C. D., et al. [Drug metabolizing enzyme induction pathways in experimental non-alcoholic steatohepatitis.](#) *Arch Toxicol* **82**(12):959-64 (2008).
22. Frank-Kamenetsky M., et al. [Therapeutic RNAi targeting PCSK9 acutely lowers plasma cholesterol in rodents and LDL cholesterol in nonhuman primates.](#) *Proc Natl Acad Sci U S A* (2008).
23. Grueneberg D. A., et al. [Kinase requirements in human cells: IV. Differential kinase requirements in cervical and renal human tumor cell lines.](#) *Proc Natl Acad Sci U S A* **105**(43):16490-5 (2008).
24. Gyamfi M. A., et al. [Hepatic effects of a methionine-choline-deficient diet in hepatocyte RXRalpha-null mice.](#) *Toxicol Appl Pharmacol* (2008).
25. Hart S. N., et al. [Genetic polymorphisms in cytochrome P450 oxidoreductase influence microsomal P450-catalyzed drug metabolism.](#) *Pharmacogenet Genomics* **18**(1):11-24 (2008).
26. Halpern M. D., Dvorak B. [Does Abnormal Bile Acid Metabolism Contribute to NEC?](#) *Semin Perinatol* **32**(2):114-21 (2008).
27. Honda M., et al. [Specific knockdown of m-calpain blocks myogenesis with cDNA deduced from the corresponding RNAi.](#) *Am J Physiol Cell Physiol* (2008).
28. Hubbard K., et al. [Knockdown of TFIIS by RNA silencing inhibits cancer cell proliferation and induces apoptosis.](#) *BMC Cancer* **8**:133 (2008).
29. Jonson A. L., et al. [Gene silencing with siRNA targeting E6/E7 as a therapeutic intervention in a mouse model of cervical cancer.](#) *Gynecol Oncol* (2008).
30. Knight T. R., Choudhuri S., Klaassen C. D. [Induction of hepatic glutathione S-transferases in male mice by prototypes of various classes of microsomal enzyme inducers.](#) *Toxicol Sci* **106**(2):329-38 (2008).
31. Knudsen B. S., et al. [Evaluation of the branched-chain DNA assay for measurement of RNA in formalin-fixed tissues.](#) *J Mol Diagn* (2008).

## QuantiGene® 2.0 Bibliography

32. Lee A. C., *et al.* [Electrochemical branched-DNA assay for polymerase chain reaction-free detection and quantification of oncogenes in messenger RNA.](#) *Anal Chem* (2008).
33. Lickteig A. J., *et al.* [Tissue distribution, ontogeny and induction of the transporters Multidrug and toxin extrusion \(MATE\) 1 and MATE2 mRNA expression levels in mice.](#) *Life Sci* **83**(1-2):59-64 (2008).
34. Lorenzi P. L., *et al.* [Asparagine synthetase is a predictive biomarker of L-asparaginase activity in ovarian cancer cell lines.](#) *Mol Cancer Ther* **7**(10):3123-8 (2008).
35. Lu H., Klaassen C. [Gender differences in mRNA expression of ATP-binding cassette efflux and bile acid transporters in kidney, liver, and intestine of 5/6 nephrectomized rats.](#) *Drug Metab Dispos* **36**(1):16-23 (2008).
36. Lu H., *et al.* [Characterization of organic anion transporting polypeptide 1b2-null mice: essential role in hepatic uptake/toxicity of phalloidin and microcystin-LR.](#) *Toxicol Sci* (2008).
37. Maher J. M., *et al.* [Nrf2- and PPAR alpha-mediated regulation of hepatic Mrp transporters after exposure to perfluorooctanoic acid and perfluorodecanoic acid.](#) *Toxicol Sci* **106**(2):319-28 (2008).
38. Merrell M. D., *et al.* [The Nrf2 activator oltipraz also activates the constitutive androstane receptor.](#) *Drug Metab Dispos* **36**(8):1716-21 (2008).
39. Migliaccio C. T., *et al.* [The IL-4Ralpha pathway in macrophages and its potential role in silica-induced pulmonary fibrosis.](#) *J Leukoc Biol* **83**(3):630-9 (2008).
40. Moore M., *et al.* [Measurement of neutralising antibodies to type I interferons by gene expression assays specific for type 1 interferon-inducible 6-16 mRNA.](#) *J Pharm Biomed Anal* (2008).
41. Nair A., *et al.* [A rapid and efficient branched DNA hybridization assay to titer lentiviral vectors.](#) *J Virol Methods* **153**(2):269-72 (2008).
42. Querbes W., *et al.* [Direct CNS Delivery of siRNA Mediates Robust Silencing in Oligodendrocytes.](#) *Oligonucleotides* (2008).
43. Robbins M., *et al.* [Misinterpreting the therapeutic effects of small interfering RNA caused by immune stimulation.](#) *Hum Gene Ther* (2008).
44. Ryan M. C., *et al.* [SpliceCenter: a suite of web-based bioinformatic applications for evaluating the impact of alternative splicing on RT-PCR, RNAi, microarray, and peptide-based studies.](#) *BMC Bioinformatics* **9**:313 (2008).
45. Sano M., *et al.* [Expression of long anti-HIV-1 hairpin RNAs for the generation of multiple siRNAs: advantages and limitations.](#) *Mol Ther* **16**(1):170-7 (2008).
46. Shou M., *et al.* [Modeling, prediction, and in vitro in vivo correlation of CYP3A4 induction.](#) *Drug Metab Dispos* **36**(11):2355-70 (2008).
47. Simpson K. J., *et al.* [Identification of genes that regulate epithelial cell migration using an siRNA screening approach.](#) *Nat Cell Biol* (2008).
48. Tanaka Y., *et al.* [NF-E2-related factor 2 inhibits lipid accumulation and oxidative stress in mice fed a high-fat diet.](#) *J Pharmacol Exp Ther* (2008).

## QuantiGene® 2.0 Bibliography

49. Tanaka Y., *et al.* [Coordinated induction of Nrf2 target genes protects against iron nitrilotriacetate \(FeNTA\)-induced nephrotoxicity.](#) *Toxicol Appl Pharmacol* **231**(3): 364-73 (2008).
50. Tanaka Y., *et al.* [Ischemia-reperfusion of rat livers decreases liver and increases kidney multidrug resistance associated protein 2 \(Mrp2\).](#) *Toxicol Sci* **101**(1): 171-8 (2008).
51. Unwalla H. J., *et al.* [Use of a U16 snoRNA-containing ribozyme library to identify ribozyme targets in HIV-1.](#) *Mol Ther* **16**(6): 1113-9 (2008).
52. Zhang Y. K., Yeager R. L., Klaassen C. D. [Circadian expression profiles of drug-processing genes and transcription factors in mouse liver.](#) *Drug Metab Dispos* (2008).
53. Zhou Y., *et al.* [Novel HCV NS5B polymerase inhibitors derived from 4-\(1',1'-dioxo-1',4'-dihydro-1'lambda6-benzo\[1',2',4'\]thiadiazin-3'-yl\)-5- hydroxy-2H-pyridazin-3-ones. Part 1: exploration of 7'-substitution of benzothiadiazine.](#) *Bioorg Med Chem Lett* **18**(4): 1413-8 (2008).

### 2007

1. Aleksunes L. M., *et al.* [Influence of acetaminophen vehicle on regulation of transporter gene expression during hepatotoxicity.](#) *J Toxicol Environ Health A* **70**(21): 1870-2 (2007).
2. Barnes S. N., *et al.* [Induction of hepatobiliary efflux transporters in acetaminophen-induced acute liver failure cases.](#) *Drug Metab Dispos* **35**(10): 1963-9 (2007).
3. Buckley D. B., Klaassen C. D. [Tissue- and gender-specific mRNA expression of UDP-glucuronosyltransferases \(UGTs\) in mice.](#) *Drug Metab Dispos* **35**(1): 121-7 (2007).
4. Chen C., *et al.* [Activation of cAMP-dependent signaling pathway induces mouse organic anion transporting polypeptide 2 expression.](#) *Mol Pharmacol* **71**(4): 1159-64 (2007).
5. Cheng X., *et al.* [Regulation of hepatic bile acid transporters Ntcp and Bsep expression.](#) *Biochem Pharmacol* **74**(11): 1665-76 (2007).
6. Cheshenko K., *et al.* [Expression of zebra fish aromatase cyp19a and cyp19b genes in response to the ligands of estrogen receptor and aryl hydrocarbon receptor.](#) *Toxicol Sci* **96**(2): 255-67 (2007).
7. Coates S. S., *et al.* [Beryllium induces premature senescence in human fibroblasts.](#) *J Pharmacol Exp Ther* **322**(1): 70-9 (2007).
8. Dotzlaw J., *et al.* [Derivation and characterization of monoclonal antibodies against human folypolyglutamate synthetase.](#) *Hybridoma (Larchmt)* **26**(3): 155-61 (2007).
9. Fisher C. D., *et al.* [Induction of drug-metabolizing enzymes by garlic and allyl sulfide compounds via activation of constitutive androstane receptor and nuclear factor E2-related factor 2.](#) *Drug Metab Dispos* **35**(6): 995-1000 (2007).

## QuantiGene® 2.0 Bibliography

10. Hernandez S., Chavez Munguia B., Gonzalez-Mariscal L. [ZO-2 silencing in epithelial cells perturbs the gate and fence function of tight junctions and leads to an atypical monolayer architecture.](#) *Exp Cell Res* **313**(8):1533-47 (2007).
11. John M., et al. [Effective RNAi-mediated gene silencing without interruption of the endogenous microRNA pathway.](#) *Nature* **449**(7163):745-7 (2007).
12. Knight T. R., Choudhuri S., Klaassen C. D. [Constitutive mRNA expression of various glutathione s-transferase isoforms in different tissues of mice.](#) *Toxicol Sci* **100**(2):513-24 (2007).
13. Lantz R. C., et al. [The effect of extracts from ginger rhizome on inflammatory mediator production.](#) *Phytomedicine* **14**(2-3):123-8 (2007).
14. Lickteig A. J., et al. [Genes of the antioxidant response undergo upregulation in a rodent model of nonalcoholic steatohepatitis.](#) *J Biochem Mol Toxicol* **21**(4):216-20 (2007).
15. Lickteig A. J., et al. [Efflux transporter expression and acetaminophen metabolite excretion are altered in rodent models of nonalcoholic fatty liver disease.](#) *Drug Metab Dispos* **35**(10):1970-8 (2007).
16. Lickteig A. J., et al. [Differential regulation of hepatic transporters in the absence of tumor necrosis factor-alpha, interleukin-1beta, interleukin-6, and nuclear factor-kappaB in two models of cholestasis.](#) *Drug Metab Dispos* **35**(3):402-9 (2007).
17. Lin X., et al. ['Seed' analysis of off-target siRNAs reveals an essential role of Mcl-1 in resistance to the small-molecule Bcl-2/Bcl-XL inhibitor ABT-737.](#) *Oncogene* **26**(27):3972-9 (2007).
18. Martin S. E., et al. [Multiplexing siRNAs to compress RNAi-based screen size in human cells.](#) *Nucleic Acids Res* (2007).
19. Miao Z., et al. [CXCR7 \(RDC1\) promotes breast and lung tumor growth in vivo and is expressed on tumor-associated vasculature.](#) *Proc Natl Acad Sci U S A* **104**(40):15735-40 (2007).
20. Miao Z. H., et al. [Nonclassic functions of human topoisomerase I: genome-wide and pharmacologic analyses.](#) *Cancer Res* **67**(18):8752-61 (2007).
21. Pacyniak E. K., et al. [The flame retardants, polybrominated diphenyl ethers, are pregnane X receptor activators.](#) *Toxicol Sci* (2007).
22. Petrick J. S., Klaassen C. D. [Importance of hepatic induction of constitutive androstane receptor and other transcription factors that regulate xenobiotic metabolism and transport.](#) *Drug Metab Dispos* **35**(10):1806-15 (2007).
23. Slitt A. L., et al. [Regulation of transporter expression in mouse liver, kidney, and intestine during extrahepatic cholestasis.](#) *Biochim Biophys Acta* **1768**(3):637-47 (2007).
24. Tanaka Y., et al. [Hepatic ischemia-reperfusion induces renal heme oxygenase-1 via NF-E2-related factor 2 in rats and mice.](#) *Mol Pharmacol* **71**(3):817-25 (2007).
25. Vermeulen A., et al. [Double-stranded regions are essential design components of potent inhibitors of RISC function.](#) *RNA* **13**(5):723-30 (2007).

## QuantiGene<sup>®</sup> 2.0 Bibliography

26. Wei X., et al. [Development and validation of a quantitative cell-based bioassay for comparing the pharmacokinetic profiles of two recombinant erythropoietic proteins in serum.](#) *J Pharm Biomed Anal* **43**(2):666-76 (2007).
27. Wen X., Walle T. [Cytochrome P450 1B1, a novel chemopreventive target for benzo\[a\]pyrene-initiated human esophageal cancer.](#) *Cancer Lett* **246**(1-2):109-14 (2007).
28. Wolfrum C., et al. [Mechanisms and optimization of in vivo delivery of lipophilic siRNAs.](#) *Nat Biotechnol* **25**(10):1149-57 (2007).
29. Yamaguchi T., et al. [Identification of JTP-70902, a p15\(INK4b\)-inductive compound, as a novel MEK1/2 inhibitor.](#) *Cancer Sci* **98**(11):1809-16 (2007).
30. Yuan Q., et al. [Age-dependent expression of the cystatin-related epididymal spermatogenic \(Cres\) gene in mouse testis and epididymis.](#) *Asian J Androl* **9**(3):305-11 (2007).
31. Zhang X., Cherrington N. J., Wright S. H. [Molecular identification and functional characterization of rabbit MATE1 and MATE2-K.](#) *Am J Physiol Renal Physiol* **293**(1):F360-70 (2007).
32. Zhou Y., et al. [Phenotypic and structural analyses of hepatitis C virus NS3 protease Arg155 variants: sensitivity to telaprevir \(VX-950\) and interferon alpha.](#) *J Biol Chem* **282**(31):22619-28 (2007).

### 2006

1. Aleksunes L. M., et al. [Nuclear factor-E2-related factor 2 expression in liver is critical for induction of NAD\(P\)H:quinone oxidoreductase 1 during cholestasis.](#) *Cell Stress Chaperones* **11**(4):356-63 (2006).
2. Alnouti Y., Klaassen C. D. [Tissue distribution and ontogeny of sulfotransferase enzymes in mice.](#) *Toxicol Sci* **93**(2):242-55 (2006).
3. Alnouti Y., Petrick J. S., Klaassen C. D. [Tissue distribution and ontogeny of organic cation transporters in mice.](#) *Drug Metab Dispos* **34**(3):477-82 (2006).
4. Canales R. D., et al. [Evaluation of DNA microarray results with quantitative gene expression platforms.](#) *Nat Biotechnol* **24**(9):1115-22 (2006).
5. Cheng X., Klaassen C. D. [Regulation of mRNA expression of xenobiotic transporters by the pregnane x receptor in mouse liver, kidney, and intestine.](#) *Drug Metab Dispos* **34**(11):1863-7 (2006).
6. Cheng X., et al. [Endocrine regulation of gender-divergent mouse organic anion-transporting polypeptide \(Oatp\) expression.](#) *Mol Pharmacol* **70**(4):1291-7 (2006).
7. Conrad P. G., Chavli R. V., Givens R. S. [Caged substrates applied to high content screening: an introduction with an eye to the future.](#) *Methods Mol Biol* **356**:253-66 (2006).
8. Das P. C., et al. [Fipronil induces CYP isoforms and cytotoxicity in human hepatocytes.](#) *Chem Biol Interact* **164**(3):200-14 (2006).

## QuantiGene<sup>®</sup> 2.0 Bibliography

9. Deng D. X., *et al.* [Differences in vascular bed disease susceptibility reflect differences in gene expression response to atherogenic stimuli.](#) *Circ Res* **98**(2):200-8 (2006).
10. Dotzlaw J., *et al.* [Derivation and characterization of a monoclonal antibody against human glycinamide ribonucleotide formyltransferase.](#) *Hybridoma (Larchmt)* **25**(3):139-44 (2006).
11. Fedorov Y., *et al.* [Off-target effects by siRNA can induce toxic phenotype.](#) *RNA* **12**(7):1188-96 (2006).
12. Ferrari N., *et al.* [Characterization of antisense oligonucleotides comprising 2'-deoxy-2'-fluoro-beta-D-arabinonucleic acid \(FANA\): specificity, potency, and duration of activity.](#) *Ann N Y Acad Sci* **1082**:91-102 (2006).
13. Fortin M., *et al.* [Effects of antisense oligodeoxynucleotides targeting CCR3 on the airway response to antigen in rats.](#) *Oligonucleotides* **16**(3):203-12 (2006).
14. Groves C. E., *et al.* [Sex differences in the mRNA, protein, and functional expression of organic anion transporter \(Oat\) 1, Oat3, and organic cation transporter \(Oct\) 2 in rabbit renal proximal tubules.](#) *J Pharmacol Exp Ther* **316**(2):743-52 (2006).
15. Hinfray N., *et al.* [Brain and gonadal aromatase as potential targets of endocrine disrupting chemicals in a model species, the zebrafish \(\*Danio rerio\*\).](#) *Environ Toxicol* **21**(4):332-7 (2006).
16. Judge A. D., *et al.* [Design of noninflammatory synthetic siRNA mediating potent gene silencing in vivo.](#) *Mol Ther* **13**(3):494-505 (2006).
17. Kolachala V. L., *et al.* [Adenosine 2b receptor \(A2bR\) signals through adenylate cyclase \(AC\) 6 isoform in the intestinal epithelial cells.](#) *Biochim Biophys Acta* **1760**(7):1102-8 (2006).
18. Laville N., *et al.* [Modulation of aromatase activity and mRNA by various selected pesticides in the human choriocarcinoma JEG-3 cell line.](#) *Toxicology* **228**(1):98-108 (2006).
19. Lin X., *et al.* ['Seed' analysis of off-target siRNAs reveals an essential role of Mcl-1 in resistance to the small-molecule Bcl-2/Bcl-X\(L\) inhibitor ABT-737.](#) *Oncogene* (2006).
20. Lorenzi P. L., *et al.* [Asparagine synthetase as a causal, predictive biomarker for L-asparaginase activity in ovarian cancer cells.](#) *Mol Cancer Ther* **5**(11):2613-23 (2006).
21. Lu H., Lei X., Klaassen C. [Gender differences in renal nuclear receptors and aryl hydrocarbon receptor in 5/6 nephrectomized rats.](#) *Kidney Int* **70**(11):1920-8 (2006).
22. Maher J. M., *et al.* [Alterations in transporter expression in liver, kidney, and duodenum after targeted disruption of the transcription factor HNF1alpha.](#) *Biochem Pharmacol* **72**(4):512-22 (2006).
23. Maher J. M., *et al.* [Hormonal regulation of renal multidrug resistance-associated proteins 3 and 4 \(Mrp3 and Mrp4\) in mice.](#) *Biochem Pharmacol* **71**(10):1470-8 (2006).

## QuantiGene<sup>®</sup> 2.0 Bibliography

24. Majercak J., et al. [LRRTM3 promotes processing of amyloid-precursor protein by BACE1 and is a positional candidate gene for late-onset Alzheimer's disease.](#) *Proc Natl Acad Sci U S A* **103**(47):17967-72 (2006).
25. Moffit J. S., et al. [Induction of hepatic transporters multidrug resistance-associated proteins \(Mrp\) 3 and 4 by clofibrate is regulated by peroxisome proliferator-activated receptor alpha.](#) *J Pharmacol Exp Ther* **317**(2):537-45 (2006).
26. Nguyen Q. N., et al. [Light controllable siRNAs regulate gene suppression and phenotypes in cells.](#) *Biochim Biophys Acta* **1758**(3):394-403 (2006).
27. Nishiu J., et al. [JTP-426467 acts as a selective antagonist for peroxisome proliferator-activated receptor gamma in vitro and in vivo.](#) *Diabetes Obes Metab* **8**(5):508-16 (2006).
28. Pruijboom-Brees I., et al. [A critical role for peroxisomal proliferator-activated receptor-alpha nuclear receptors in the development of cardiomyocyte degeneration and necrosis.](#) *Am J Pathol* **169**(3):750-60 (2006).
29. Reynolds A., et al. [Induction of the interferon response by siRNA is cell type- and duplex length-dependent.](#) *RNA* **12**(6):988-93 (2006).
30. Saetrom P., et al. [Conserved microRNA characteristics in mammals.](#) *Oligonucleotides* **16**(2):115-44 (2006).
31. Schmidt R. J., et al. [A 15-ketosterol is a liver X receptor ligand that suppresses sterol-responsive element binding protein-2 activity.](#) *J Lipid Res* **47**(5):1037-44 (2006).
32. Shelby M. K., Klaassen C. D. [Induction of rat UDP-glucuronosyltransferases in liver and duodenum by microsomal enzyme inducers that activate various transcriptional pathways.](#) *Drug Metab Dispos* **34**(10):1772-8 (2006).
33. Shi L., et al. [The MicroArray Quality Control \(MAQC\) project shows inter- and intraplatform reproducibility of gene expression measurements.](#) *Nat Biotechnol* **24**(9):1151-61 (2006).
34. Slitt A. L., et al. [trans-Stilbene oxide induces expression of genes involved in metabolism and transport in mouse liver via CAR and Nrf2 transcription factors.](#) *Mol Pharmacol* **69**(5):1554-63 (2006).
35. Slitt A. L., et al. [Induction of genes for metabolism and transport by trans-stilbene oxide in livers of Sprague-Dawley and Wistar-Kyoto rats.](#) *Drug Metab Dispos* **34**(7):1190-7 (2006).
36. Stanley L. A., et al. [PXR and CAR: nuclear receptors which play a pivotal role in drug disposition and chemical toxicity.](#) *Drug Metab Rev* **38**(3):515-97 (2006).
37. Tanaka Y., et al. [Kupffer cell-mediated downregulation of hepatic transporter expression in rat hepatic ischemia-reperfusion.](#) *Transplantation* **82**(2):258-66 (2006).
38. Tsuji P. A., Walle T. [Inhibition of benzo\[a\]pyrene-activating enzymes and DNA binding in human bronchial epithelial BEAS-2B cells by methoxylated flavonoids.](#) *Carcinogenesis* **27**(8):1579-85 (2006).



## QuantiGene® 2.0 Bibliography

39. Yang W., *et al.* [Direct quantification of gene expression in homogenates of formalin-fixed, paraffin-embedded tissues.](#) *Biotechniques* **40**(4):481-6 (2006).
40. Yu M., Yeh J., Van Waes C. [Protein kinase casein kinase 2 mediates inhibitor-kappaB kinase and aberrant nuclear factor-kappaB activation by serum factor\(s\) in head and neck squamous carcinoma cells.](#) *Cancer Res* **66**(13):6722-31 (2006).
41. Yu Y., *et al.* [A novel method for detecting neutralizing antibodies against therapeutic proteins by measuring gene expression.](#) *J Immunol Methods* **316**(1-2):8-17 (2006).
42. Yudit M. R., *et al.* [Selective and opposing actions of progesterone receptor isoforms in human endometrial stromal cells.](#) *Mol Cell Endocrinol* **247**(1-2):116-26 (2006).
43. Zheng Z., Luo Y., McMaster G. K. [Sensitive and quantitative measurement of gene expression directly from a small amount of whole blood.](#) *Clin Chem* **52**(7):1294-302 (2006).
44. Zimmermann T. S., *et al.* [RNAi-mediated gene silencing in non-human primates.](#) *Nature* **441**(7089):111-4 (2006).

### 2005

1. Aleksunes L. M., *et al.* [Differential expression of mouse hepatic transporter genes in response to acetaminophen and carbon tetrachloride.](#) *Toxicol Sci* **83**(1):44-52 (2005).
2. Alikhani M., Alikhani Z., Graves D. T. [FOXO1 functions as a master switch that regulates gene expression necessary for tumor necrosis factor-induced fibroblast apoptosis.](#) *J Biol Chem* **280**(13):12096-102 (2005).
3. Augustine L. M., *et al.* [Xenobiotic and endobiotic transporter mRNA expression in the blood-testis barrier.](#) *Drug Metab Dispos* **33**(1):182-9 (2005).
4. Burris T. P., *et al.* [The hypolipidemic natural product guggulsterone is a promiscuous steroid receptor ligand.](#) *Mol Pharmacol* **67**(3):948-54 (2005).
5. Cheng X., *et al.* [Tissue distribution and ontogeny of mouse organic anion transporting polypeptides \(Oatps\).](#) *Drug Metab Dispos* **33**(7):1062-73 (2005).
6. Cheng X., *et al.* [Regulation of mouse organic anion-transporting polypeptides \(Oatps\) in liver by prototypical microsomal enzyme inducers that activate distinct transcription factor pathways.](#) *Drug Metab Dispos* **33**(9):1276-82 (2005).
7. Croutch C. R., *et al.* [2,3,7,8-Tetrachlorodibenzo-p-dioxin \(TCDD\) and 1,2,3,4,7,8-hexachlorodibenzo-p-dioxin \(HxCDD\) alter body weight by decreasing insulin-like growth factor I \(IGF-I\) signaling.](#) *Toxicol Sci* **85**(1):560-71 (2005).
8. Dai G., *et al.* [Retinoid X receptor alpha Regulates the expression of glutathione s-transferase genes and modulates acetaminophen-glutathione conjugation in mouse liver.](#) *Mol Pharmacol* **68**(6):1590-6 (2005).

## QuantiGene® 2.0 Bibliography

9. Erickson R. P., *et al.* [Liver disease with altered bile acid transport in Niemann-Pick C mice on a high-fat, 1% cholesterol diet.](#) *Am J Physiol Gastrointest Liver Physiol* **289**(2):G300-7 (2005).
10. Gruber J., *et al.* [RNAi of FACE1 protease results in growth inhibition of human cells expressing lamin A: implications for Hutchinson-Gilford progeria syndrome.](#) *J Cell Sci* **118**(Pt 4):689-96 (2005).
11. Kolachala V., *et al.* [TNF-alpha upregulates adenosine 2b \(A2b\) receptor expression and signaling in intestinal epithelial cells: a basis for A2bR overexpression in colitis.](#) *Cell Mol Life Sci* **62**(22):2647-57 (2005).
12. Krishnan V., *et al.* [The nongenotropic synthetic ligand 4-estren-3alpha17beta-diol is a high-affinity genotropic androgen receptor agonist.](#) *Mol Pharmacol* **67**(3):744-8 (2005).
13. Krishnaswamy S., *et al.* [UDP glucuronosyltransferase \(UGT\) 1A6 pharmacogenetics: I. Identification of polymorphisms in the 5'-regulatory and exon 1 regions, and association with human liver UGT1A6 gene expression and glucuronidation.](#) *J Pharmacol Exp Ther* **313**(3):1331-9 (2005).
14. Li N., Klaassen C. D. [Lipopolysaccharide-induced down-regulation of organic anion transporting polypeptide 4 \(Oatp4; Slc21a10\) is independent of tumor necrosis factor-alpha, Interleukin-1beta, interleukin-6, or inducible nitric oxide synthase.](#) *Toxicol Sci* **83**(1):197-203 (2005).
15. Maher J. M., *et al.* [Induction of the multidrug resistance-associated protein family of transporters by chemical activators of receptor-mediated pathways in mouse liver.](#) *Drug Metab Dispos* **33**(7):956-62 (2005).
16. Maher J. M., *et al.* [Tissue distribution and hepatic and renal ontogeny of the multidrug resistance-associated protein \(Mrp\) family in mice.](#) *Drug Metab Dispos* **33**(7):947-55 (2005).
17. Sawada H., Takami K., Asahi S. [A toxicogenomic approach to drug-induced phospholipidosis: analysis of its induction mechanism and establishment of a novel in vitro screening system.](#) *Toxicol Sci* **83**(2):282-92 (2005).
18. Silva V. M., *et al.* [Transport deficient \(TR-\) hyperbilirubinemic rats are resistant to acetaminophen hepatotoxicity.](#) *Biochem Pharmacol* **70**(12):1832-9 (2005).
19. Stayrook K. R., *et al.* [Regulation of carbohydrate metabolism by the farnesoid X receptor.](#) *Endocrinology* **146**(3):984-91 (2005).
20. Thukral S. K., *et al.* [Prediction of nephrotoxicant action and identification of candidate toxicity-related biomarkers.](#) *Toxicol Pathol* **33**(3):343-55 (2005).
21. Vermeulen A., *et al.* [The contributions of dsRNA structure to Dicer specificity and efficiency.](#) *Rna* **11**(5):674-82 (2005).
22. Wen X., Walle T. [Preferential induction of CYP1B1 by benzo\[a\]pyrene in human oral epithelial cells: impact on DNA adduct formation and prevention by polyphenols.](#) *Carcinogenesis* **26**(10):1774-81 (2005).
23. Wen X., Walle U. K., Walle T. [5,7-Dimethoxyflavone downregulates CYP1A1 expression and benzo\[a\]pyrene-induced DNA binding in Hep G2 cells.](#) *Carcinogenesis* **26**(4):803-9 (2005).

## QuantiGene® 2.0 Bibliography

### 2004

1. Buist S. C., Klaassen C. D. [Rat and mouse differences in gender-predominant expression of organic anion transporter \(Oat1-3; Slc22a6-8\) mRNA levels.](#) *Drug Metab Dispos* **32**(6):620-5 (2004).
2. Cherrington N. J., *et al.* [Lipopolysaccharide-mediated regulation of hepatic transporter mRNA levels in rats.](#) *Drug Metab Dispos* **32**(7):734-41 (2004).
3. Dieter M. Z., *et al.* [Expression and regulation of the sterol half-transporter genes ABCG5 and ABCG8 in rats.](#) *Comp Biochem Physiol C Toxicol Pharmacol* **139**(4):209-18 (2004).
4. Gruber J. [Functional gene analysis in cultured vertebrate cells using siRNA mediated gene silencing.](#) (2004).
5. Heijne W. H., *et al.* [Bromobenzene-induced hepatotoxicity at the transcriptome level.](#) *Toxicol Sci* **79**(2):411-22 (2004).
6. Li N., *et al.* [Down-regulation of mouse organic anion-transporting polypeptide 4 \(Oatp4; Oatp1b2; Slc21a10\) mRNA by lipopolysaccharide through the toll-like receptor 4 \(TLR4\).](#) *Drug Metab Dispos* **32**(11):1265-71 (2004).
7. Li N., Klaassen C. D. [Role of liver-enriched transcription factors in the down-regulation of organic anion transporting polypeptide 4 \(oatp4; oatp1b2; slc21a10\) by lipopolysaccharide.](#) *Mol Pharmacol* **66**(3):694-701 (2004).
8. Lu H., Chen C., Klaassen C. [Tissue distribution of concentrative and equilibrative nucleoside transporters in male and female rats and mice.](#) *Drug Metab Dispos* **32**(12):1455-61 (2004).
9. Reynolds A., *et al.* [Rational siRNA design for RNA interference.](#) *Nat Biotechnol* **22**(3):326-30 (2004).
10. Sakamoto S., *et al.* [Increased expression of CYR61, an extracellular matrix signaling protein, in human benign prostatic hyperplasia and its regulation by lysophosphatidic acid.](#) *Endocrinology* **145**(6):2929-40 (2004).
11. Soutschek J., *et al.* [Therapeutic silencing of an endogenous gene by systemic administration of modified siRNAs.](#) *Nature* **432**(7014):173-8 (2004).
12. Wright S. H., *et al.* [Functional map of TEA transport activity in isolated rabbit renal proximal tubules.](#) *Am J Physiol Renal Physiol* **287**(3):F442-51 (2004).

### 2003

1. Bramlett K. S., *et al.* [A natural product ligand of the oxysterol receptor, liver X receptor.](#) *J Pharmacol Exp Ther* **307**(1):291-6 (2003).
2. Buist S. C., Cherrington N. J., Klaassen C. D. [Endocrine regulation of rat organic anion transporters.](#) *Drug Metab Dispos* **31**(5):559-64 (2003).
3. Cao G., *et al.* [Antidiabetic action of a liver x receptor agonist mediated by inhibition of hepatic gluconeogenesis.](#) *J Biol Chem* **278**(2):1131-6 (2003).

## QuantiGene<sup>®</sup> 2.0 Bibliography

4. Chen C., Hennig G. E., Manautou J. E. [Hepatobiliary excretion of acetaminophen glutathione conjugate and its derivatives in transport-deficient \(TR-\) hyperbilirubinemic rats.](#) *Drug Metab Dispos* **31**(6): 798-804 (2003).
5. Chen C., Staudinger J. L., Klaassen C. D. [Nuclear receptor, pregnane X receptor, is required for induction of UDP-glucuronosyltransferases in mouse liver by pregnenolone-16 alpha-carbonitrile.](#) *Drug Metab Dispos* **31**(7): 908-15 (2003).
6. Cherrington N. J., et al. [Induction of multidrug resistance protein 3 \(mrp3\) in vivo is independent of constitutive androstane receptor.](#) *Drug Metab Dispos* **31**(11): 1315-9 (2003).
7. Choudhuri S., et al. [Constitutive expression of various xenobiotic and endobiotic transporter mRNAs in the choroid plexus of rats.](#) *Drug Metab Dispos* **31**(11): 1337-45 (2003).
8. Khvorova A., Reynolds A., Jayasena S. D. [Functional siRNAs and miRNAs exhibit strand bias.](#) *Cell* **115**(2): 209-16 (2003).
9. Leazer T. M., Klaassen C. D. [The presence of xenobiotic transporters in rat placenta.](#) *Drug Metab Dispos* **31**(2): 153-67 (2003).
10. Sakamoto S., et al. [Development of quantitative detection assays for CYR61 as a new marker for benign prostatic hyperplasia.](#) *J Biomol Screen* **8**(6): 701-11 (2003).
11. Shelby M. K., et al. [Tissue mRNA expression of the rat UDP-glucuronosyltransferase gene family.](#) *Drug Metab Dispos* **31**(3): 326-33 (2003).
12. Slitt A. L., et al. [Induction of multidrug resistance protein 3 in rat liver is associated with altered vectorial excretion of acetaminophen metabolites.](#) *Drug Metab Dispos* **31**(9): 1176-86 (2003).
13. Tsai S. P., et al. [Nucleic acid capture assay, a new method for direct quantitation of nucleic acids.](#) *Nucleic Acids Res* **31**(6): e25 (2003).
14. Wu S. J., et al. [Quantitation of CYP1A1 and 1B1 mRNA in polycyclic aromatic hydrocarbon-treated human T-47D and HepG2 cells by a modified bDNA assay using fluorescence detection.](#) *Anal Biochem* **312**(2): 162-6 (2003).

### 2002

1. Bader T., et al. [Human adipose tissue under in vitro inhibition of 11beta-hydroxysteroid dehydrogenase type 1: differentiation and metabolism changes.](#) *Horm Metab Res* **34**(11-12): 752-7 (2002).
2. Brady J. M., et al. [Tissue distribution and chemical induction of multiple drug resistance genes in rats.](#) *Drug Metab Dispos* **30**(7): 838-44 (2002).
3. Buist S. C., et al. [Gender-specific and developmental influences on the expression of rat organic anion transporters.](#) *J Pharmacol Exp Ther* **301**(1): 145-51 (2002).

## QuantiGene® 2.0 Bibliography

4. Cherrington N. J., et al. [Organ distribution of multidrug resistance proteins 1, 2, and 3 \(Mrp1, 2, and 3\) mRNA and hepatic induction of Mrp3 by constitutive androstane receptor activators in rats.](#) *J Pharmacol Exp Ther* **300**(1):97-104 (2002).
5. Czerwinski M., et al. [Analysis of CYP mRNA expression by branched DNA technology.](#) *Methods Enzymol* **357**:170-9 (2002).
6. Guo G. L., Choudhuri S., Klaassen C. D. [Induction profile of rat organic anion transporting polypeptide 2 \(oatp2\) by prototypical drug-metabolizing enzyme inducers that activate gene expression through ligand-activated transcription factor pathways.](#) *J Pharmacol Exp Ther* **300**(1):206-12 (2002).
7. Guo G. L., Johnson D. R., Klaassen C. D. [Postnatal expression and induction by pregnenolone-16alpha-carbonitrile of the organic anion-transporting polypeptide 2 in rat liver.](#) *Drug Metab Dispos* **30**(3):283-8 (2002).
8. Harstad E. B., Klaassen C. D. [Analysis of strain difference in sensitivity to cadmium-induced hepatotoxicity in Fischer 344 and Sprague-Dawley rats.](#) *Toxicol Sci* **67**(2):329-40 (2002).
9. Johnson D. R., Guo G. L., Klaassen C. D. [Expression of rat Multidrug Resistance Protein 2 \(Mrp2\) in male and female rats during normal and pregnenolone-16alpha-carbonitrile \(PCN\)-induced postnatal ontogeny.](#) *Toxicology* **178**(3):209-19 (2002).
10. Johnson D. R., Habeebu S. S., Klaassen C. D. [Increase in bile flow and biliary excretion of glutathione-derived sulfhydryls in rats by drug-metabolizing enzyme inducers is mediated by multidrug resistance protein 2.](#) *Toxicol Sci* **66**(1):16-26 (2002).
11. Johnson D. R., Klaassen C. D. [Regulation of rat multidrug resistance protein 2 by classes of prototypical microsomal enzyme inducers that activate distinct transcription pathways.](#) *Toxicol Sci* **67**(2):182-9 (2002).
12. Leazer T. M., Liu Y., Klaassen C. D. [Cadmium absorption and its relationship to divalent metal transporter-1 in the pregnant rat.](#) *Toxicol Appl Pharmacol* **185**(1):18-24 (2002).
13. Li N., et al. [Tissue expression, ontogeny, and inducibility of rat organic anion transporting polypeptide 4.](#) *J Pharmacol Exp Ther* **301**(2):551-60 (2002).
14. Luckey S. W., et al. [4-hydroxynonenal decreases interleukin-6 expression and protein production in primary rat Kupffer cells by inhibiting nuclear factor-kappaB activation.](#) *J Pharmacol Exp Ther* **302**(1):296-303 (2002).
15. Luo G., et al. [CYP3A4 induction by drugs: correlation between a pregnane X receptor reporter gene assay and CYP3A4 expression in human hepatocytes.](#) *Drug Metab Dispos* **30**(7):795-804 (2002).
16. Park J. D., Cherrington N. J., Klaassen C. D. [Intestinal absorption of cadmium is associated with divalent metal transporter 1 in rats.](#) *Toxicol Sci* **68**(2):288-94 (2002).
17. Park J. D., Habeebu S. S., Klaassen C. D. [Testicular toxicity of di-\(2-ethylhexyl\)phthalate in young Sprague-Dawley rats.](#) *Toxicology* **171**(2-3):105-15 (2002).

## QuantiGene<sup>®</sup> 2.0 Bibliography

18. Slitt A. L., *et al.* [Tissue distribution and renal developmental changes in rat organic cation transporter mRNA levels.](#) *Drug Metab Dispos* **30**(2):212-9 (2002).
19. Vansell N. R., Klaassen C. D. [Increase in rat liver UDP-glucuronosyltransferase mRNA by microsomal enzyme inducers that enhance thyroid hormone glucuronidation.](#) *Drug Metab Dispos* **30**(3): 240-6 (2002).
20. Wagaman P. C., Leong M. A., Simmen K. A. [Development of a novel influenza A antiviral assay.](#) *J Virol Methods* **105**(1):105-14 (2002).
21. Xiang H., *et al.* [Enhanced tumor killing by Apo2L/TRAIL and CPT-11 co-treatment is associated with p21 cleavage and differential regulation of Apo2L/TRAIL ligand and its receptors.](#) *Oncogene* **21**(22):3611-9 (2002).
22. Zhang Y., *et al.* [Liver X receptor and retinoic X receptor mediated ABCA1 regulation and cholesterol efflux in macrophage cells-messenger RNA measured by branched DNA technology.](#) *Mol Genet Metab* **77**(1-2):150-8 (2002).

### 2001

1. Allan G. F., *et al.* [Induction of the progesterone receptor gene in estrogen target cells monitored by branched DNA signal amplification.](#) *Steroids* **66**(9):663-71 (2001).
2. Player A. N., *et al.* [Single-copy gene detection using branched DNA \(bDNA\) in situ hybridization.](#) *J Histochem Cytochem* **49**(5):603-12 (2001).
3. Rausch-Derra L. C., *et al.* [Differential effects of microsomal enzyme-inducing chemicals on the hepatic expression of rat organic anion transporters, OATP1 and OATP2.](#) *Hepatology* **33**(6):1469-78 (2001).
4. Sen A., *et al.* [Adipogenic potential of human adipose derived stromal cells from multiple donors is heterogeneous.](#) *J Cell Biochem* **81**(2):312-9 (2001).
5. Takiguchi M., *et al.* [Cyproterone acetate induces a cellular tolerance to cadmium in rat liver epithelial cells involving reduced cadmium accumulation.](#) *Toxicology* **165**(1):13-25 (2001).

### 2000

1. Bramlett K. S., Yao S., Burris T. P. [Correlation of farnesoid X receptor coactivator recruitment and cholesterol 7alpha-hydroxylase gene repression by bile acids.](#) *Mol Genet Metab* **71**(4):609-15 (2000).
2. Hartley D. P., Klaassen C. D. [Detection of chemical-induced differential expression of rat hepatic cytochrome P450 mRNA transcripts using branched DNA signal amplification technology.](#) *Drug Metab Dispos* **28**(5):608-16 (2000).

## QuantiGene® 2.0 Bibliography

- Warrior U., et al. [Application of QuantiGene nucleic acid quantification technology for high throughput screening.](#) *J Biomol Screen* **5**(5): 343-52 (2000).
- Wentworth J. M., Burriss T. P., Chatterjee V. K. [HIV protease inhibitors block human preadipocyte differentiation, but not via the PPARgamma/RXR heterodimer.](#) *J Endocrinol* **164**(2): R7-10 (2000).
- Zhou L., et al. [A branched DNA signal amplification assay to quantitate messenger RNA of human uncoupling proteins 1, 2, and 3.](#) *Anal Biochem* **282**(1): 46-53 (2000).

### 1999

- Burriss T. P., et al. [A novel method for analysis of nuclear receptor function at natural promoters: peroxisome proliferator-activated receptor gamma agonist actions on aP2 gene expression detected using branched DNA messenger RNA quantitation.](#) *Mol Endocrinol* **13**(3): 410-7 (1999).
- Todd M. D., et al. [Toxicity Screening of a Combinatorial Library: Correlation of Cytotoxicity and Gene Induction to Compound Structure.](#) *J Biomol Screen* **4**(5): 259-68 (1999).